Molecular Ecology (1994) 3, 621–625

Author index

Abernethy K. The establishment of a hybrid zone between red and sika deer (genus *Cervus*), 551
Abernethy RB *see* **Baker CS**
Andersson L *see* **Ellegren H**
Andow DA. Community response to transgenic plant release: using mathematical theory to predict effects of transgenic plants, 65
Angle JS. Release of transgenic plants: biodiversity and population-level considerations, 45
Antonius K, Nybom H. DNA fingerprinting reveals significant amounts of genetic variation in a wild raspberry *Rubus idaeus* population, 177
Applebaum GD *see* **Gottelli D**
Arnold ML *see* **DeWayne Shoemaker D**
Arnold W *see* **Rassmann K**
Ashley MV *see* **Hoelzer GA**
Avataneo M *see* **Migheli Q**
Baker CS, Slade RW, Bannister JL, Abernethy RB, Weinrich MT, Lien J, Urban J, Corkeron P, Calmabokidis J, Vasquez O, Palumbi SR. Hierarchical structure of mitochondrial DNA gene flow among humpback whales *Megaptera novaeangliae*, world-wide, 313
Ballou JD *see* **Haig SM**
Bannister JL *see* **Baker CS**
Barran LR, Bromfield ESP, Laberge S, Wheatcroft R. Insertion sequence (IS) hybridization supports classification of *Rhizobium meliloti* by phage typing, 267
Beland P *see* **Patenaude NJ**
Bernatchez L *see* **Giuffra E**
Bertrand KP *see* **Lenski RE**
Bouchard D *see* **Henrion B**
Bousquet J *see* **Maggia L**
Briscoe DA *see* **Woodworth LM**
Bromfield ESP *see* **Barran LR**
Brookes MI *see* **Rose OC**
Burke T *see* **Verheyen GR; see Hanotte O**
Burt A, Carter DA, White TJ, Taylor JW. DNA sequencing with arbitrary primer pairs, 523
Butler MA, Templeton AR, Read B. DNA fingerprinting in Speke's gazelle: a test for genetic distinctness, and the correlation between relatedness and similarity, 355
Calmabokidis J *see* **Baker CS**
Carter RE *see* **Warkentin IG**
Casna NJ *see* **Haig SM**
Cassidy MB *see* **Leung K**
Chakraborty R *see* **Wettstein PJ**
Chen R-S, Boeger JM, McDonald BA. Genetic stability in a population of a plant pathogenic fungus over time, 209
Cho-Fat Hui *see* **Yi-Ju Yang**
Cirvilleri G, Lindow SE. Differential expression of genes of *Pseudomonas syringae* on leaves and in culture evaluated with random genomic *lux* fusions, 249
Corkeron P *see* **Baker CS**
Croft BC *see* **Jepson PC**
Cuguen J *see* **Forcioli D**
Cuny G *see* **Jarne P**
Curzon AD *see* **Warkentin IG**
Dale PJ. The impact of hybrids between genetically modified crop plants and their related species: general considerations, 31
Darmency H. The impact of hybrids between genetically modified crop plants and their related species: introgression and weediness, 33
Delay B *see* **Jarne P**
DeWayne Shoemaker D, Ross KG, Arnold ML. Development of RAPD markers in two introduced fire ants, *Solenopsis invicta* and *S. richteri*, and their application to the study of a hybrid zone, 531
Dhondt A *see* **Verheyen GR**
Di Battista C *see* **Henrion B**
Dittus WPJ *see* **Hoelzer GA**
Dixon A *see* **Hanotte O**
Dodson JJ *see* **Taylor EB**
Donegan K *see* **Palm CJ**
Duong LP *see* **Lenski RE**
Ellegren H, Johansson M, Hartmann G, Andersson L. DNA fingerprinting with the human 33.6 minisatellite probe identifies sex in beavers *Castor fiber*, 273
Emerson BC, Wallis GP. Species status and population genetic structure of the flightless chafer beetles *Prodontria modesta* and *P. bicolorata* (Coleoptera; Scarabaeidae) from South Island, New Zealand, 339
England LS *see* **Leung K**
Ferguson A *see* **Taggart JB**
Fleischer RC, Tarr CL, Pratt TK. Genetic structure and mating system in the palila, an endangered Hawaiian honeycreeper, as assessed by DNA fingerprinting, 383
Forcioli D, Saumitou-Laprade P, Michaelis G, Cuguen J. Chloroplast DNA polymorphism revealed by a fast, nonradioactive method in *Beta vulgaris* ssp. maritima, 173
Frankham R *see* **Woodworth LM**
Fukatsu T, Ishikawa H. Differentiation of aphid clones by arbitrarily primed polymerase chain reaction (AP-PCR) DNA fingerprinting, 187
Garcia-Moreno J *see* **Gottelli D**
Gibbs HL, Prior KA, Weatherhead PJ. Genetic analysis of populations of threatened snake species using RAPD markers, 329
Girman DJ *see* **Gottelli D**
Giuffra E, Bernatchez L, Guyomard R. Mitochondrial control region and protein coding genes sequence variation among phenotypic forms of brown trout *Salmo trutta* from northern Italy, 161
Gliddon C. The impact of hybrids between genetically modified crop plants and their related species: biological models and theoretical perspectives, 41
Gottelli D, Sillero-Zubiri C, Applebaum GD, Roy MS, Girman DJ, Garcia-Moreno J, Ostrander EA, Wayne RK. Molecular genetics of the most endangered canid: the Ethiopian wolf *Canis simensis*, 301
Greig C *see* **Hanotte O**
Gross MR *see* **Philipp DP**
Gullino ML *see* **Migheli Q**
Guyomard R *see* **Giuffra E**
Haig SM, Ballou JD, Casna NJ. Identification of kin structure among Guam rail founders: a comparison of pedigrees and DNA profiles, 109
Haig SM, Rhymer JM, Heckel DG. Population differentiation in randomly amplified polymorphic DNA of red-cockaded woodpeckers *Picoides borealis*, 581

Hanotte O, Zanon C, Pugh A, Greig C, Dixon A, Burke T. Isolation and characterization of microsatellite loci in a passerine bird: the reed bunting *Emberiza schoeniclus*, 529
Harris D *see* Palm CJ
Hartmann G *see* Ellegren H
Heckel DG *see* Haig SM
Henrion B, Di Battista C, Bouchard D, Vairelles D, Thompson BD, Le Tacon F, Martin F. Monitoring the persistence of *Laccaria bicolor* as an ectomycorrhizal symbiont of nursery-grown Douglas fir by PCR of the rDNA intergenic spacer, 571
Herrera-Estrella A *see* Migheli Q
Hewitt G *see* Rico C
Hobaek A *see* Weider LJ
Hoelzer GA, Dittus WPJ, Ashley MV, Melnick DJ. The local distribution of highly divergent mitochondrial DNA haplotypes in toque macaques *Macaca sinica* at Polonnaruwa, Sri Lanka, 451
Hsiao J-Y, Rieseberg LH. Population genetic structure of *Yushania niitakayamensis* (Bambusoideae, Poaceae) in Taiwan, 201
Ishikawa H *see* Fukatsu T
Jacobi CM *see* Kareiva P
James PC *see* Warkentin IG
Jarne P, Viard F, Delay B, Cuny G. Variable microsatellites in the highly selfing snail *Bulinus truncatus* (Basommatophora: Planorbidae), 527
Jeffreys AJ *see* Signer EN
Jen-Leih Wu *see* Yi-Ju Yang
Jepson PC, Croft BC, Pratt GE. Test systems to determine the ecological risks posed by toxin release from *Bacillus thuringiensis* genes in crop plants, 81
Jin L *see* Wettstein PJ
Johansson M *see* Ellegren H
Jones CS, Okamura B, Noble LR. Parent and larval RAPD fingerprints reveal outcrossing in freshwater bryozoans, 193
Kareiva P, Morris W, Jacobi CM. Studying and managing the risk of cross-fertilization between transgenic crops and wild relatives, 15
Kempenaers B *see* Verheyen GR
Kingsley M *see* Patenaude NJ
Kuikman P *see* Trevors JT
Kyriacou CP *see* Ritchie MG
Laberge S *see* Barran LR
Lager P *see* Wettstein PJ
Laguerre G, Rigottier-Gois L, Lemanceau P. Fluorescent *Pseudomonas* species categorized by polymerase chain reaction (PCR)/restriction fragment analysis of 16S rDNA, 479
Lamb T *see* Wettstein PJ
Laughlin TF, Turner BJ. Multilocus DNA fingerprinting detects population differentiation in the outbred and abundant fish species *Poecilia latipinna*, 263
Le Tacon F *see* Henrion B
Leebens-Mack J *see* Milligan BG
Lemanceau P *see* Laguerre G
Lenski RE, Souza V, Duong LP, Phan QG, Nguyen TNM, Bertrand KP. Epistatic effects of promoter and repressor functions of the Tn10 tetracycline-resistance operon on the fitness of *Escherichia coli*, 127
Leung K, England LS, Cassidy MB, Trevors JT, Weir S. Microbial diversity in soil: effect of releasing genetically engineered micro-organisms, 413
Levin M *see* Seidler RJ
Lien J *see* Baker CS
Limpus CJ *see* Norman JA
Linder CR *see* Schmitt J
Linder CR, Schmitt J. Assessing the risks of transgene escape through time and crop–wild hybrid persistence, 23
Lindow SE *see* Cirvilleri G
Lynch M, Milligan BG. Analysis of population genetic structure with RAPD markers, 91
Maggia L, Bousquet J. Molecular phylogeny of the actinorhizal Hamamelidae and relationships with host promiscuity towards *Frankia*, 459
Mallet JLB *see* Rose OC
Martin F *see* Henrion B
May CA *see* Zeh DW
McPheron BA *see* White LR
McRae SB, Kovacs KM. Paternity exclusion by DNA fingerprinting, and mate guarding in the hooded seal *Cystophora cristata*,101
Melnick DJ *see* Hoelzer GA
Michaelis G *see* Forcioli D
Migheli Q, Herrera-Estrella A, Avataneo M, Gullino ML. Fate of transformed *Trichoderma harzianum* in the phylloplane of tomato plants, 153
Miller RV *see* Ripp S
Milligan BG see **Lynch M**
Milligan BG, Leebens-Mack J, Strand AE. Conservation genetics: beyond the maintenance of marker diversity, 423
Montgomery ME *see* Woodworth LM
Moore JJ *see* Morin PA
Morin PA, Wallis J, Moore JJ, Woodruff DS. Paternity exclusion in a community of wild chimpanzees using hypervariable simple sequence repeats, 469
Moritz C. Applications of mitochondrial DNA analysis in conservation: a critical review, 401
Moritz C *see* Norman JA
Morra M.J. Assessing the impact of transgenic plant products on soil organisms, 53
Morris W *see* Kareiva P
Nguyen TNM *see* Lenski RE
Noble LR *see* Jones CS
Norman JA, Moritz C, Limpus CJ. Mitochondrial DNA control region polymorphisms: genetic markers for ecological studies of marine turtles, 363
Nurthen RK *see* Woodworth LM
Nybom H *see* Antonius K
Ogunseitan OA *see* Ripp S
Okamura B *see* Jones CS
Oliphant LW *see* Warkentin IG
Ostrander EA *see* Gottelli D
Paetkau D, Strobeck C. Microsatellite analysis of genetic variation in black bear populations, 489
Palm CJ, Donegan K, Harris D, Seidler RJ. Quantification in soil of *Bacillus thuringiensis* var. *kurstaki* δ-endotoxin from transgenic plants, 145
Palumbi SR *see* Baker CS
Parkin DT *see* Warkentin IG
Patenaude NJ, Quinn JS, Beland P, Kingsley M, White BN. Genetic variation of the St. Lawrence beluga whale population assessed by DNA fingerprinting, 375
Phan QG *see* Lenski RE
Philipp DP, Gross MR. Genetic evidence for cuckoldry in bluegill *Lepomis macrochirus*, 563
Powell W *see* Whitty PW
Pratt GE *see* Jepson PC
Pratt TK *see* Fleischer RC
Prior KA *see* Gibbs HL
Pugh A *see* Hanotte O
Quinn JS *see* Patenaude NJ
Rassmann K, Arnold W, Tautz D. Low genetic variability in a

natural alpine marmot population (*Marmota marmota*, Sciuridae) revealed by DNA fingerprinting, 347
Read B *see* Butler MA
Regal PJ. Scientific principles for ecologically based risk assessment of transgenic organisms, 5
Rhymer JM *see* Haig SM
Rico C, Rico I, Hewitt G. An optimized method for isolating and sequencing large $(CA/GT)_n$ ($n > 40$) microsatellites from genomic DNA, 181
Rico I *see* Rico C
Rieseberg LH *see* Hsiao J-Y
Rigottier-Gois L *see* Laguerre G
Ripp S, Ogunseitan OA, Miller RV. Transduction of a freshwater microbial community by a new *Pseudomonas aeruginosa* generalized transducing phage, UT1, 121
Ristow D *see* Swatschek I
Ritchie MG, Kyriacou CP. Reproductive isolation and the period gene of *Drosophila*, 595
Rose OC, Brookes MI, Mallet JLB. A quick and simple nonlethal method for extracting DNA from butterfly wings, 275
Ross KG *see* DeWayne Shoemaker D
Roy MS *see* Gottelli D
Saumitou-Laprade P *see* Forcioli D
Schmidt CR *see* Signer EN
Schmitt J *see* Linder CR
Schmitt J, Linder CR. Will escaped transgenes lead to ecological release?, 71
Seidler RJ *see* Palm CJ
Seidler RJ, Levin M. Potential ecological and nontarget effects of transgenic plant gene products on agriculture, silviculture, and natural ecosystems: general introduction, 1
Sherwin WB *see* Taylor AC
Signer EN, Schmidt CR, Jeffreys AJ. DNA variability and parentage testing in captive Waldrapp ibises, 291
Sillero-Zubiri C *see* Gottelli D
Slade RW *see* Baker CS
Souza V *see* Lenski RE
Sprent JI *see* Whitty PW
States J *see* Wettstein PJ
Stauffer JR Jr *see* White LR
Strand AE *see* Milligan BG
Strobeck C *see* Paetkau D
Swatschek I, Ristow D, Wink M. Mate fidelity and parentage in Cory's shearwater *Calonectris diomedea* – field studies and DNA fingerprinting, 259
Taggart JB, Ferguson A. A composite DNA size reference ladder suitable for routine application in DNA fingerprinting/profiling studies, 271
Tarr CL *see* Fleischer RC
Tautz D *see* Rassmann K
Taylor AC, Sherwin WB, Wayne RK. Genetic variation of microsatellite loci in a bottlenecked species: the northern hairy-nosed wombat *Lasiorhinus krefftii*, 277
Taylor EB, Dodson JJ. A molecular analysis of relationships and biogeography within a species complex of Holarctic fish (genus *Osmerus*), 235
Templeton AR *see* Butler MA
Thompson BD *see* Henrion B
Tomlin AD. Transgenic plant release: comments on the comparative effects of agriculture and forestry practices on soil fauna, 51
Trevors JT *see* Leung K
Trevors JT, Kuikman P, Watson B. Transgenic plants and biochemical cycles, 57
Turner BJ *see* Laughlin TF
Urban J *see* Baker CS
Vairelles D *see* Henrion B
Van Broeckhoeven C *see* Verheyen GR
Van den Broek M *see* Verheyen GR
Vasquez O *see* Baker CS
Verheyen GR, Kempenaers B, Burke T, Van den Broek M, Van Broeckhoeven C, Dhondt A. Identification of hypervariable single locus minisatellite DNA probes in the blue tit *Parus caeruleus*, 137
Viard F *see* Jarne P
Wallis GP *see* Emerson BC
Wallis J *see* Morin PA
Warkentin IG, Curzon AD, Carter RE, Wetton JH, James PC, Oliphant LW, Parkin DT. No evidence for extrapair fertilizations in the merlin revealed by DNA fingerprinting, 229
Watson B *see* Trevors JT
Wayne RK *see* Gottelli D
Wayne RK *see* Taylor AC
Weatherhead PJ *see* Gibbs HL
Weider LJ, Hobaek A. Molecular biogeography of clonal lineages in a high-Arctic apomictic *Daphnia* complex, 497
Weinrich MT *see* Baker CS
Weir S *see* Leung K
Wetton JH *see* Warkentin IG
Wettstein PJ, Lager P, Jin L, States J, Lamb T, Chakraborty R. Phylogeny of mitochondrial DNA clones in tassel-eared squirrels *Sciurus aberti*, 541
Wheatcroft R *see* Barran LR
White BN *see* Patenaude NJ
White LR, McPheron BA, Stauffer JR Jr. Identification of freshwater mussel glochidia on host fishes using restriction fragment length polymorphisms, 183
Whitty PW, Powell W, Sprent JI. Molecular separation of genera in Cassiinae (Leguminosae), and analysis of variation in the nodulating species of *Chamaecrista*, 507
Williamson M. Community response to transgenic plant release: predictions from British experience of invasive plants and feral crop plants, 75
Wink M *see* Swatschek I
Woodruff DS *see* Morin PA
Woodworth LM, Montgomery ME, Nurthen RK, Briscoe DA, Frankham R. Modelling problems in conservation genetics using *Drosophila*: consequences of fluctuating population sizes, 393
Yao-Sung Lin *see* Yi-Ju Yang
Yi-Ju Yang, Yao-Sung Lin, Jen-Leih Wu, Cho-Fat Hui Variation in mitochondrial DNA and population structure of the Taipei treefrog *Rhacophorus taipeianus* in Taiwan, 219
Zanon C *see* Hanotte O
Zeh DW, Zeh JA, May CA. Charomid cloning vectors meet the pedipalpal chelae: single-locus minisatellite DNA probes for paternity assignment in the harlequin beetle-riding pseudoscorpion, 517
Zeh JA *see* Zeh DW

Keyword index

actinorrhizal plants, 459
adaptive landscape, 127
adaptive potential, 5
allelochemicals, 53
allozymes, 393
alternative strategies, 563
AMOVA, 581
analysis of molecular variance, 581
antibiotic resistance, 127
anuran, 219
aphids, 187
apomixis, 177
aquatic environments, 121
arbitrarily primed polymerase chain reaction (AP-PCR), 187
Arctic, 497
Bacillus thuringiensis, 51
Bacillus thuringiensis toxin, 145
bacteria, 413
bacteriophage UT1, 121
Baker characters, 75
beluga whale, 375
Beta vulgaris ssp., 173
bioassay, 53
biodiversity, 45
biogeography, 451
biological control, 153
biotechnology, 23, 31, 41, 65, 71
black rat snake, 329
blackberry, 177
blue tit, 137
bluegill, 563
Botrytis cinerea, 153
bottleneck, 347
breeding system, 177
bryozoans, 193
Bt toxin, 51
butterflies, 275
Calonectris diomedea, 259
canids, 301
Cassiinae, 507
Cervus, 551
Chamaecrista, 507
charomid, 517
Chelonia mydas, 363
chemiluminescense, 173
chimpanzee, 469
chloroplast DNA polymorphism, 173
clone differentiation, 187
clones, 201, 497
Coleoptera, 339
colonization, 497
community structure, 571
conservation, 275, 339, 355, 393
conservation genetics, 109, 291, 329, 423, 581
conservation value, 401
control region, 161, 363
Cordylochernes scorpioides, 517
Cristatella, 193
crop–wild plant hybridization, 23
cuckoldry, 563
cycles, 57
Cystophora cristata, 101
Daphnia, 497
demography, 423
denaturing gradient gel electrophoresis, 363
dispersal, 451
diversity, 413
DNA extraction, 275
DNA fingerprinting, 101, 137, 177, 187, 229, 259, 263, 291, 347, 355, 375, 383, 489
DNA ladder, 271
DNA profiles, 109
domestication, 5
dormancy, 23
Drosophila, 595
earthworms, 51
ecotoxicology, 81
ectomycorrhiza, 571
effective population size, 347, 393
endangered species, 109, 277, 291, 301, 383
epiphytes, 249
epistasis, 127
evolutionary significant units, 401
exclusion, 101
extrapair copulation, 259
extrapair copulations, 229
extrapair fertilization, 259
Falco columbarius, 229
feral crops, 75
fire ants, 531
fitness, 127
flightlessness, 339
fluorescent *Pseudomonas* spp., 479
Frankia, 459
fungi, 53
gall-forming aphid, 187
gene diversity, 91
gene expression, 127
gene flow, 15, 31, 41, 313
gene regulation, 127
genealogies, 423
generalized transduction, 121
genetic differentiation, 263, 329
genetic divergence, 451
genetic introgression, 31, 41
genetic markers, 181, 363, 423
genetic transformation, 153, 595
genetic variation, 201, 375, 383, 393
genetically engineered micro-organisms, 413
genetically engineered organisms, 5
genetics, 401
genotyping, 469
GEOs, 65
germination cueing, 23
glaciation, 497
glochidial identification, 183
GMOs, 75
Guam rails, 109
Hamamelidae, 459
Hawaiian honeycreeper, 383
heterozygosity, 137
Holarctic zoogeography, 235
hooded seal, 101
horizontal gene transfer, 121
humpback whale, 313
hybrid zone, 531
hybridization, 31, 37, 41, 301, 531, 551
hypervariable minisatellites, 291
inbreeding, 91, 355
inbreeding depression, 393
insertion sequence hybridization, 267
introduction, 551
introgression, 37, 551
invasions, 41, 65, 75
ITS-1, 183
kin founding, 109
kin structure, 109
Laccaria bicolor, 571
landscape ecology, 81
larval genotypes, 193
likelihood ratio test, 489
Loxioides bailleui, 383
luciferase, 249
Macaca sinica, 451
management, 401
manipulative experiments, 71
maritima, 173
marmota, 347
marsupial, 277
massasauga rattlesnake, 329
mate fidelity, 259
mating strategies, 101
mating system, 383
maximum likelihood, 15
merlin, 229
metapopulation dynamics, 81
micro-organisms, 57
microsatellites, 181, 277, 301, 469, 489
microcosm, 53
minisatellite DNA, 137, 271, 517
minisatellites, 273
mitochondrial DNA, 161, 235, 301, 313, 451, 541
mitotic stability, 153
molecular markers, 91
molecular phylogeny, 459
molecular population genetics, 523
mtDNA, 275, 363, 497
mtDNA sequence variation, 219
multilocus probes, 263
mutation rate, 137

Mycosphaerella graminicola, 209
nodulation, 507
nuclear DNA, 275
nucleotide diversity, 523
nucleotide polymorphism, 523
nursery inoculation, 571
Osmerus, 235
outbred populations, 263
outcrossing, 193
Pan, 469
parentage testing, 291
paternity, 101, 229, 469
paternity assignment, 517
PCR tandem repeat, 219
pedigree analysis, 109, 259
period gene, 595
pesticidal plants, 1
pests, 75
phage typing, 267
phenotypic plasticity, 249
phylloplane survival, 153
phylogeny, 161, 541
phylogeography, 219
Picoides borealis, 581
pinnipeds, 101
plant resistance, 65
pleiotropy, 5
Poecilia latipinna, 263
polymerase chain reaction (PCR) , 161, 193, 275, 363, 479, 523, 571
polymorphism, 541
population bottleneck, 277
population differentiation, 581
population genetics, 209, 489
population screening, 271
population structure, 313, 339
premating reproductive isolation, 595
protein coding genes, 161
protein electrophoresis, 563
pseudolysogeny, 121
Pseudomonas aeruginosa, 121
pseudoscorpion, 517
range expansion, 71
RAPD, 91, 193, 201, 329, 507, 523, 581, 531
raspberry, 177
*rbc*L, 459
red-cockaded woodpecker, 581
red deer, 551
relatedness, 91, 355
reporter genes, 249
reproductive fitness, 393
reproductive success, 563
restriction fragment, 479
restriction site, 541
RFLP analysis, 183
Rhacophorus taipeianus, 219
Rhizobium meliloti, 267
ribosomal DNA intergenic spacer, 571
risk analysis, 65, 81
risk assessment, 1, 23, 31, 37, 41, 71
S. trutta, 161
Saskatchewan, 229
satellite DNA, 273
seed bank, 23
selective breeding, 5
Septoria tritici, 209
sex determination, 273
sika deer, 551
single-locus probes, 137, 517
social structure, 451
soil, 57, 145, 413
soil biochemistry, 53
soil insects, 45, 51
soil microbiology, 45
Solenopsis invicta, 531
Solenopsis richteri, 531
species complexes, 235
species status, 339
Speke's gazelle, 355
squirrel, 541
stocks, 313
structure, 91
SWAPP, 523
symbiosis evolution, 459
systematics, 301
ten–ten rule, 75
threatened species, 401
tomato, 153
transformation, 31
transgenic cotton, 15
transgenic crops, 37
transgenic plants, 1, 51, 57, 65, 71, 145
Trichoderma harzianum, 153
Unionoidea, 183
Ursus americanus, 489
vegetative propagation, 177
VNTR, 263
Waldrapp ibis (*Geronticus eremita*), 291
weeds, 37
wombat, 277
Y chromosome, 273
Yushan cane, 201
Yushania niiakayamensis, 201